

update: 04/06/2021

«LLUM »

**TECHNICAL SHEET**

**1.The team:**

The team for the show consists of 3 or 4 people:

- 1 dancer
- 1 technician on stage
- 1 sound technician in the audience
- 1 administrator / promoter. (if applicable)

**2.Duration of the show :**

50 minutes without intermission – 100 spectators (120max)

**3.Décor: (brought by the company)**

- 1 self-supporting metal frame
- 1 flightcase on wheel 98x40x48
- 2 x mirrors balls (30 and 15 cm in diameter)
- an 8-step stepladder
- a projo foot (windup style)
- 2 plates on wheels
- 1 bromizer on wheels
- 1 fan on casters
- a projo foot (windup style)
- 1x 713XS profile
- 1 fog machines

**4.Plateau:**

Minimum dimensions of the stage: 8 meters in width from the left wall to the right wall, 6 meters deep (excluding the audience) and 5,5 meters high.(ideal dim.: 10m x 7m x 5,5m).

A black background should completely close the background of the scene(if the background is not black and clean).

At the right and at the left we will have black curtains that will lead to a black box

**THE FLOOR MUST BE MADE OF WOOD**

**THE FLOOR MUST BE COMPLETELY COVERED WITH A BLACK DANCE FLOOR**

**THE SPECTATORS MUST BE ABLE TO SEE THE FLOOR OF THE STAGE.**

**5.Light: 24 channels 2 KW (except public light))**

We ask :

-2 profiles 1 KW medium with knives, type 614sx juliat  
-5 profiles 1 KW short with knives, type 613sx juliat+1gobo holder  
-10 PC 1KW with flaps  
-13 PAR 64 solo (13 x CP62, 2x CP61)  
-1 PAR 36 (F1)  
-2 asymétric ADB ACP 1001 cyclorama  
- !!!UN DMX RIGHT GROUND !!! (stage management is done from the set) ++ 2 DMX cables 2m 5pin  
We bring a computer with its DMX card as an organ set

**Gels :**

L201 : 2 PC 1kw + 2 PAR 64  
L134 : 4 PAR 64  
L195 : 4 PAR 64 + 2 PC 1Kw  
L132 : 1 PC 1kw  
L106: 1 PC 1kw + 1 PAR64  
L200 : 2 ACP 1kw + 2 PAR64  
L206 : 4 PC 1kw

DIFF : R132 : 4 PC 1kw + 1 prof.

**6.Sound:**

We ask:

**Broadcast system:** -A separate pair of speakers placed on the ground far from the right and left, a separate pair of speakers facing the right and left. The speakers will be MTD 112.  
- A sub (if possible)

We can do without a sound table. The 4 speakers can be directly plugged into our sound card (Jack)

Amp: adapted to the broadcast system.

**REM:** The company has an HK Audio Broadcast system. We use it when the material of the welcoming place is of inferior quality.

**7.Lodges:**

-1 lodge accommodating 2 people; heated, equipped with a mirror, a sink, a shower (if possible), a IRON and 2 chairs

**8.Planning:**

**Installation: 8 hours**

-2 light manager + 1 stagehand when it comes to an Italian theater, 1 sound (2 last hours)

The last hour must be 1 technical spinning !! (necessary to check that technically everything works)

**THE REPRESENTATION CANNOT BE DONE ON THE SAME DAY AS THE ASSEMBLY !!!!!!!!!**

**Disassembling: 1 hour get out included with 1 machino**

**9.Contact :**

tech : Fred. Vannes : +32(0)477.200.356

[fred.vannes@nyash.be](mailto:fred.vannes@nyash.be)

diff : Anna Giolo : +32 (0)477 49 89 19

**contact@adlibdiffusion.be**